



**ICGBG**

XII International Conference on  
GRAPEVINE BREEDING and GENETICS

July 15-20, 2018  
Bordeaux FRANCE

## POSTER PRESENTATIONS

Poster	Session	Title	Presenting author	Page
P1	7	Understanding methoxypyrazine production in Marlborough Sauvignon blanc grapes	Jeff Bennett	106
P2	7	Grape bunch heating alters the accumulation and regulation of anthocyanin production in Pinot noir berry skin	Jeff Bennett	107
P3	7	Modification of transcriptome and main sensory compounds in grape berry adaption to varied ripening initiation timing	He Lei	108
P4	8	An Investigation on natural ice-wine, harvest freezing method and training-pruning techniques in cool climates region of China	Wen-Dong Zhao	109
P5	5	Whole genome sequencing and gene annotation of Georgian grape cultivars	Vazha Tabidze	110
P6	9	Growth and development of Pierce's disease tolerant hybrid bunch grapes in southeastern U.S	Elina Coneva	111
P7	5	Development of an efficient DNA marker system for predicting skin color in grape	Akifumi Azuma	112
P8	2	Identification of downy mildew resistance genes Rpv10 and Rpv3 by DNA-marker analysis in Russian grapevine germplasm collection	Elena Il'nitskaya	113
P9	2	Influence of rootstocks on maturation and productivity of interspecific hybrids of white wine grapes	Mara Moura	114
P10	2	Molecular characterization of the downy mildew resistance in the table grape Lasta	Guido Cipriani	115
P11	2	Evaluation of new grape selections with introgressed resistance genes	Guido Cipriani	116
P12	3	Genome editing of Pinotage, a South African grapevine cultivar	Manuela Campa	117
P13	9	Evidence for sexual reproduction and production of fertile oospores of <i>Plasmopara viticola</i> on partially-resistant grapevine varieties	Lionel Delbac	118
P14	7	Inheritance of monoterpenes in grape ( <i>Vitis vinifera</i> ) populations of Muscat Hamburg X Crimson Seedless	Lei Sun	119
P15	3	A plant regeneration platform to apply New Breeding Techniques for improving disease resistance in grapevine rootstocks and cultivars	Bruno Mezzetti	120
P16	4	The Pinotage genome: stress response genes are a major source of inter-cultivar genetic diversity in grapevine	Beatrix Coetzee	121
P17	9	Investigations into nematode resistance of grapevine rootstocks within the joint project "MureViU"	Juliane Schurig	122
P18	6	Cycle, physicochemical characterization and climate adaptation of a white hybrid grape onto different rootstocks	Mara Moura	123
P19	5	BRS Vitoria: new seedless table grape cultivar for the São Francisco Valley, Northeast of Brazil	Patrícia Leão	124
P20	6	Rootstock for table grape cultivar BRS Clara in the São Francisco Valley, Northeast Brazil	Patrícia Leão	125
P21	2	Synonyms and homonyms in grapevine varieties of Bosnia and Herzegovina	Ana Mandić	126
P22	6	Effects of spraying gibberellic acid before anthesis on the rachis elongation and berry flavonoid in <i>Vitis vinifera</i> L	Xiaotong Gao	127
P23	5	Key genitors of Croatian grapevine germplasm - ubiquitous but almost forgotten	Maja Zulj Mihaljevic	128
P24	4	The genetic dissection of Natural Dry-on-Vine (NDOV) trait in grapevine	Jonathan Fresnedo Ramírez	129
P25	4	AmpSeq as a tool for genetics and breeding of grapevine	Jonathan Fresnedo Ramírez	130

P26	4	Downy mildew resistant QTLs in <i>Vitis amurensis</i> "Shuang Hong" grapevine	Jiang Lu	131
P27	3	<i>In vitro</i> embryo rescue in the table grapes breeding for the semi-arid tropical region of Brazil	Patrícia Leão	132
P28	6	Rootstock for table grape cultivar BRS Clara in the São Francisco Valley, Northeast Brazil	Patrícia Leão	133
P29	7	Evaluation of physicochemical and storability attributes of 5 new Chinese table grape cultivars	Huiling Wang	134
P30	7	Effects of different rootstocks on aroma profiles of <i>Vitis vinifera</i> L. cv. Cabernet Sauvignon grapes	Yu Wang	135
P31	2	Use of marker assisted selection in Alphonse Lavallee x Regent hybrids for determination of downy mildew resistance	Murat Akkurt	136
P32	7	DNA methylation in fleshy fruits: from tomato to grape	Philippe Gallusci	137
P33	2	Genetic gains of selection in ancient grapevine varieties	Elsa Gonçalves	138
P34	7	Mitigating the effects of climate change on berry composition by canopy management	Eloïse Brouard	139
P35	7	Amino acid metabolism as a potential source for unique flavors in table grapes	Amnon Lichter	140
P36	3	A novel grapevine microRNAs database and its application to investigate <i>Vitis vinifera</i> responses to Flavescence dorée infection	Georgio Gambino	141
P37	9	Interplays between <i>Vitis vinifera</i> and grapevine virus B (GVB) in field conditions leads to ameliorate berry secondary metabolism	Georgio Gambino	142
P38	9	Use of "neovigen96" chip to understand the defence status of cultivar or resistant genotypes of <i>Vitis vinifera</i>	Marie-France Corio-Costet	143
P39	9	Molecular improvement of powdery mildew resistance in grapevine	Yingqiang Wen	144
P40	5	Into the wood - Potential of non-destructive imaging approaches for phenotyping grapevine tolerance to trunk diseases	Cédric Moisy	145
P41	4	Comparative transcriptomics of eight grapevine powdery mildew-resistance loci	Mélanie Massonnet	146
P42	7	iTRAQ protein profile differential analysis of berry firmness by GA3 of Summer Black grape	Jianfu Jiang	147
P43	7	Effects of sunlight exclusion on the profiles of monoterpene biosynthesis and accumulation in grape exocarp and mesocarp	Shaohua Li	148
P44	2	A new late-maturing grape cultivar "Crystal Red"	Sanjun Liu	149
P45	2	Breeding for mildew resistance to improve environmental and socio-economic sustainability in hotspot areas of Veneto	Barbara De Nardi	150
P46	5	Comparison of multi- and hyperspectral sensors regarding their ability to detect grapevine diseases	Nele Bendel	151
P47	2	Mechanisms and candidate genes for seed and fruit set in grapevine	Laura Constantini	152
P48	4	Characterizing the intra-varietal genomic and phenotypic variation in <i>Vitis vinifera</i> L. cv. Malbec	Diego Lijavetsky	153
P49	7	Energetic aspects of sugar import and malate breakdown in the ripening berry	Charles Romieu	154
P50	2	Breeding for cold-resistant seedless grapes using embryo rescue	Jianxia Zhang	155
P51	2	Searching for black rot resistance in a wide <i>Vitis</i> germplasm	Sarolta Hoffmann	156
P52	2	Grape genetic resource and researches at Zhengzhou National Grape Germplasm Repository of China	Jianfu Jiang	157
P53	2	Search of wild-growing forms of grape in the Crimean mountain forests and their characteristic of diversity using microsatellite loci	Svitlana Goryslavets	158
P54	5	Extended diversity analysis of cultivated grapevine <i>Vitis vinifera</i> with 10K genome-wide SNPs	Thierry Lacombe	159
P55	5	Resistance to <i>Plasmopara viticola</i> - Hyperspectral investigations	Rebecca Höfle	160
P56	8	Over-expression of the grapevine transcription factor, VlbZIP30, in <i>Arabidopsis thaliana</i> enhances drought tolerance via the abscisic acid core signaling pathway	Xiping Wang	161
P57	2	VITIRAMA: a program to characterise disease susceptibility in French ampelographic collections	Thierry Lacombe	162
P58	7	The functional analysis of the highly expressed stilbene synthase genes from Chinese wild <i>Vitis quinquangularis</i>	Yuejin Wang	163
P59	2	Panel-C4, a grapevine core collection designed for climate change studies	Thierry Lacombe	164
P60	2	Ancient DNA of grape seeds provides insights into viticulture and cultivation practices in Roman Gaul and Medieval France	Roberto Bacilieri	165

P61	4	QTL-analysis of organic acids	Florian Schwander	166
P62	5	Evaluation of an automated 3D based phenotyping pipeline for grapevine bunches to determine bunch architecture traits	Florian Rist	167
P63	5	Pedigree ascertainment of interspecific grapevine cultivars	Thierry Lacombe	168
P64	3	Development of the genome editing in grape	Léo Herbert	169
P65	7	Prolonged ripening on the vine effects the polyphenolic profile of grapes and wine 'Plavac mali' ( <i>Vitis vinifera</i> L.)	Ana Mucalo	170
P66	4	Integrating spatial variations in the vineyard to enhance QTL detection	Eric Duchêne	171
P67	6	A multi-level modelling framework for simulating grape growth and biochemical compositions under genotype x environment interactions	Zhanwu Dai	172
P68	4	Virome status of old Slovenian grapevine varieties as determined by small RNA deep sequencing	Natasa Stajner	173
P69	2	Selection for mildew-resistant grape varieties for wine spirit distillation	Gérald Ferrari	174
P70	5	Studies on the resistance RPV10 locus against downy mildew ( <i>Plasmopara viticola</i> ) of grapevine ( <i>Vitis vinifera</i> )	Sarah Fröbel	175
P71	5	Genetic and phenotypic diversity of the variety 'Teinturier' and its offspring	Franco Röckel	176
P72	5	Phenotyping and genotyping of <i>Vitis berlandieri</i> seedling population	László Kocsis	177
P73	5	Studies on the resistance locus Rpv12 against downy mildew of grapes ( <i>Plasmopara viticola</i> )	Sophia Müllner	178
P74	7	Role of Auxin-Response Factor 4 (VtviARF4) in the timing of ripening initiation in <i>Vitis vinifera</i>	Laurent Deluc	179
P75	6	Developing a model system to identify main mechanisms involved in nitrogen growth responses of grafted grapevines	Laurent Deluc	180
P76	8	Identifying potential genetic markers for grapevine salt tolerance	Yue Wu	181
P77	1	SelWineQ: Wine quality prediction tools based on a white wine F1 population	Franco Röckel	182
P78	4	The powdery mildew resistance loci Ren3 and Ren9 from 'Regent' confer a hypersensitive response and Ren3 co-segregates with an NBS-LRR gene cluster	Daniel Zender	183
P79	6	Understanding the establishment of scion/rootstock interaction in grapevine	Clément Chambaud	184
P80	4	Next generation sequencing and annotation of whole plastid genomes of wild grapes ( <i>Vitis vinifera</i> s ubsp. <i>sylvestris</i> ) from South Caucasus, Europe and Mediterrean Basin	Ia Pipia	185
P81	5	Detection of the disease resistance genes using GWAS in grape vine	Hyun A Jang	186
P82	5	Combining genotyping by sequencing and genomic prediction within bi-parental crosses to speed up selection of grapevine cultivars	Timothée Flutre	187
P83	2	New cold tolerant grapevine cultivars for red wines	Elena Ilnitskaya	188
P84	2	True to type confirmation of twenty unknown grapevine accessions at grape germplasm collection in Split, Croatia	Katarina Luksic	189
P85	9	Strengthening resistance of grapevine by beneficial bacteria relies on distinct defense pathways in susceptible and resistant genotypes to downy mildew	Sara Lakkis	190
P86	9	Metabolomic study to evaluate the resistance against <i>Plasmopara viticola</i>	Marco Stefanini	191
P87	5	Development of a sensor-based approach for objective characterization grapevine berry cuticles	Katja Herzog	192
P88	9	Identification of grapevine sensitivity molecular markers for <i>Eutypa lata</i>	Gerald Ferrari	193
P89	2	Genetic diversity of a large collection of grapevine cultivars from the island of Crete, Greece assessed by SSR markers	Andreas Doulis	194
P90	7	Transcriptional regulation of fruit development in grape	Rachel Naegele	195
P91	6	Physiological impacts of early defoliation on the cold hardiness of grapevine ( <i>Vitis vinifera</i> L.) cv. Bidaneh Sefid	Hassan Sarikhani	196
P92	2	Field performance of five white PIWI varieties in Southern Brazil	Emilio Brighenti	197
P93	9	Viticultural performance of disease resistant genotypes (PIWI) in highlands of Southern Brazil	Emilio Brighenti	198
P94	8	Do grape rootstocks have really important role in drought tolerance?	László Kocsis	199
P95	2	Phylogeny of <i>Vitis</i> species based on a VvMybA1 marker analysis	Erzsébet Kiss	200

P96	2	Construction of a high-density linkage map of a mapping progeny of 'Deckrot' x G1-7720: an important resource in support of both table and wine grape breeding	Jessica Vervalle	201
P97	2	1,000 new clones per year: uncovering the genetic and epigenetic impact of a transposon burst in grapevine	Darrell Lizamore	202
P98	2	Breeding high quality southern grape cultivars for meeting industry demands in Florida and Southeastern US	Violeta Tsolova	203
P99	6	How do grapevine rootstocks modify phosphorus concentration in scion ?	Antoine Gautier	204
P100	9	Disease-resistant grapevine cultivars drastically reduce fungicides use: results of a five years multi-criteria evaluation of two low-fungicide input cropping systems	François Delmotte	205
P101	7	The study of hormonal metabolism of <i>Trincadeira</i> and Syrah cultivars indicates new roles of salicylic acid, jasmonates, ABA and IAA during grape ripening and upon infection with <i>Botrytis cinerea</i>	Ana Margarida Fortes	206
P102	7	Differential monoterpenes accumulation of two table grape varieties between greenhouse and open-field cultivation	Haiying Xu	207
P103	2	Genetics and mapping of grapevine resistance from a muscadine source to the dagger nematode <i>Xiphinema index</i>	Nathalie Ollat	208
P104	5	Validation of QTLs for muscat flavor in hybrid table grapes	Atsushi Kono	209
P105	2	Genetic variability in grapevine clones of Muscat of Alexandria	Carmina Gisbert	210
P106	7	Phenotypic, hormonal and genomic variation among Tempranillo clones with different cluster compactness and reproductive performances	Javier Ibanez	211
P107	9	Phytohormonal metabolism of Carignan grape berries upon infection with powdery mildew	Diana Pimentel	212
P108	3	'Clean' genome editing in grapevine ( <i>Vitis</i> spp.)	Lorenza Dalla Costa	213
P109	7	Investigating the variability of the cultivar Pinot blanc under different aspects	Ferdinand Regner	214
P110	7	Methyl jasmonate application on <i>Vitis labrusca</i> L. grown under subtropical conditions	Lais Moro	215
P111	7	Flavor volatiles profiling in the different species of grapes between <i>V. vinifera</i> and <i>V. labruscana</i>	Sung Min Jung	216
P112	2	Scouting downy and powdery mildew susceptibility genes: a diversity study in <i>Vitis</i> spp	Silvia Vezzulli	217
P113	6	Metabolite profiling at the graft interface of grapevine	Duyen Prodhomme	218
P114	5	Uncover the genetic basis of drought response in grapevine rootstocks	Massimiliano Trenti	219
P115	9	Evaluation of resistance mechanisms of tolerant grapevine genotypes against <i>Plasmopara viticola</i> and its implication for crop protection management	Birgit Eisenmann	220
P116	7	Polyphenols composition of Dalmatian grapevine varieties grown under continental climate	Darko Preiner	221
P117	9	New leaf-feeding Phylloxera ( <i>D. vitifoliae</i> Fitch) biotypes collected in commercial vineyards employing a simple bioassay	Astrid Forneck	222
P118	9	A preliminary screening of grape Phylloxera resistance on roots in wild grapevine accessions from different European regions	Astrid Forneck	223
P119	7	Regulatory network behind the berry ripening: the role of <i>Vitis vinifera</i> NAC60 transcription factor	Chiara Foresti	224
P120	9	Transcriptomic analysis reveals a higher expression of genes involved in preformed defenses in the American grapevine <i>Vitis rupestris</i> compared to Eurasian grapevine <i>V. vinifera</i>	Livia Donati	225
P121	9	Differential expression patterns within the grapevine stilbene synthase gene family revealed through their regulatory regions	Diego Lijavetzky	226
P122	9	Evaluation of viral sanitary status of three portuguese minority grapevine varieties	Diana Augusto	227
P123	4	Genome-wide association study for crown gall disease resistance in grapevine	Youn Young Hur	228
P124	7	Major characteristics of seedless grape cultivars bred by a grape breeding program in Korea	Youn Young Hur	229
P125	4	Inner no outer transcription factor and its conserved role in eudicot ovule development	Valentina Di Rienzo	230
P126	7	Aromatic characterization of croatian white autochthonous grapevine cultivars	Darko Preiner	231
P127	8	Functional characterization of a heat-inducible ethylene response factor and its putative role in the control of the sugar/acid balance in grape berries	Fatma Lecourieux	232
P128	2	Genetic characterization of grape genotypes from Apulia and synonymies in other Mediterranean regions	Valentina Di Rienzo	233
P129	7	Valorization of autochthonous Apulian grapevine varieties for spumante production	Valentina di Rienzo	234

P130	9	A <i>Vitis</i> hybrid 'library': comparing diverse R-loci combinations and mildew resistance levels in field	Silvia Vezzulli	235
P131	2	New cultivars from the table grape breeding programme at the Agricultural Research Council (ARC), South Africa	Phyllis Burger	236
P132	7	Functional analysis of SCL8/VviPAT6 and orthologous SIGRAS10: role in nonclimacteric and climacteric fruit ripening	Ana Margarida Fortes	237
P133	2	Genetic fingerprint of autochthonous varieties preserved in ancient vineyards of mountain valleys of Argentina	Rocio Torres	238
P134	7	Relevant factors contributing to the final size of the berry in two Tempranillo segregant populations	Cristina Manso	239
P135	7	Associations between flower and berry parameters and wine composition of Graciano x Tempranillo hybrids	Cristina Menendez	240
P136	2	Characterization of different clones of cv. <i>Criolla chica</i> (Syn. Listán Prieto), a variety long-time cultivated in South America	Rocio Torres	241
P137	9	Field evaluation and salts exclusion of some new nematodes resistant rootstocks	Ashraf El-Kereamy	242
P138	9	Screening of <i>Vitis berlandieri</i> for Phylloxera response and molecular markers of a major QTL for Phylloxera resistance	Johanna Frotscher	243
P139	5	Molecular characterization of wine grape cultivars from Calabria region	Monica Marilena Miazzi	244
P140	5	GBS-derived SNP catalogue from a wide grape ( <i>V. vinifera</i> L.) germplasm collection that includes the most representative Apulian autochthonous varieties	Monica Marilena Miazzi	245
P141	9	Recovery from flavescente dorée phytoplasma infection in <i>Vitis vinifera</i> cv <i>Barbera</i> : a putative role for sugar metabolism	Cristina Morabito	246
P142	7	Getting closer to the whole picture: transcriptome and metabolome analyses of Aglianico and Falanghina berry tissues during fruit maturation	Clizia Villano	247
P143	4	Overview of genetic loci for traits in grapevine and their integration into the VIVC database	Ludger Hausmann	248
P144	7	Low night temperature enhances anthocyanin accumulation and induces gene expression in cv. <i>Corvina</i> ( <i>Vitis vinifera</i> L.)	Ilaria Filipetti	249
P145	7	Functional complementation of non-ripening ( <i>nor</i> ) tomato mutant with four NAC transcription factors, putative master regulators of the vegetative-to-mature organ transition in grapevine	Erica d'Inca	250
P146	7	MYB5 and WRKY transcription factors in grapevine ( <i>Vitis vinifera</i> L.) co regulate vacuolar acidification through the activation of P-type ATPases	Alessandra Amato	251
P147	4	Twelve new QTLs for phenological traits in <i>Vitis vinifera</i> L.	Agnès Doligez	252
P148	7	Identification and functional characterization of master regulators of the onset of berry ripening in grapevine	Edoardo Bertini	253
P149	4	A novel high-density grapevine integrated linkage map using GBS in a multi-parental population: preliminary results	Agnès Doligez	254
P150	2	Whole plant regeneration from protoplasts obtained from embryogenic calli of two Italian grapevine varieties	Edoardo Bertini	255
P151	9	Calardis blanc ' a new grapevine variety with combined resistances against downy mildew, high resistance against black rot, and high botrytis resilience	Oliver Trapp	256
P152	7	Physiological functions of ASR proteins regarding sugar signaling, transport and metabolism of two cell culture models in grapevine	Rossitza Atanassova	257
P153	2	Topo-climate effects on phenology and metabolism of wine grapevine berries of a grapevine varietal collection in arid environments	Kelem Gashu Alamrie	258
P154	6	Phenology and thermal requirement of disease resistant genotypes (PIWI) growth in Goethe Grape Valley region (Brazil)	Marco Stefanini	259
P155	2	Genetic stability of plants from portuguese minority grapevine varieties regenerated by somatic embryogenesis	Diana Augusto	260
P156	2	Genetic diversity of autochthonous <i>Vitis vinifera</i> L. - contribution for the preservation of grapevine portuguese gene pool	Diana Augusto	261
P157	2	'Cuihongbao': a new seedless late-ripening table grape	Xiaoping Tang	262
P158	4	Characterisation of the pan-genome of <i>Vitis vinifera</i> using Next Generation Sequencing	Gabriele Magris	263
P159	9	The intensity of Rpv3-dependent downy mildew resistance varies with the genetic background of the resistant variety	Gabriele Magris	264
P160	7	Profiling and comparison of flavor compounds in table grape cultivars in Japan	Kazuki Moriyama	265
P161	2	Table grape breeding for high quality in Hebei Province, China	Shengjian Zhao	266
P162	7	Grapevine plasticity and terroir: a multidisciplinary approach for dissecting the single effect of soil on grape quality	Alessandro Vannozzi	267
P163	4	The added value of genome haplotype identification to unravel trait/allele relations	Pierre-François Bert	268

P164	8	A first draft of grapevine's physiological and molecular responses to flooding	Benedetto Ruperti	269
P165	2	Genotyping by sequencing and genetic mapping of phenology-relevant and berry quality traits from two grapevine mapping populations	Camille Obert	270
P166	3	Genome editing in grapevine: plant regeneration from embryogenic-calli derived protoplasts	Irene Perrone	271
P167	6	Role of DNA methylation in graft formation	Margot Berger	272
P168	9	Deciphering the molecular and genetic bases of grape tolerance to trunk diseases	Cédric Moisy	273
P169	7	DNA methylation regulates anthocyanin accumulation in the grape cell suspension	Junhua Kong	274
P170	9	Molecular mechanism of downy mildew resistance mediated by MrRpv1 gene in <i>Muscadinia rotundifolia</i> grape	Ling Yin	275
P171	6	Plastochron index of five genotypes disease resistant (PIWI) growth in the Goethe Grape Valley, South Brazil	Marco Stefanini	276
P172	9	Grapevine resistance to <i>Plasmopara viticola</i> : the search for metabolic biomarkers	Marisa Maia	277
P173	6	Greffadapt: a relevant experimental vineyard to speed up grapevine rootstock selection	Elisa Marguerit	278
P174	2	Media selection is important for embryo rescue efficiency in cold-hardy table grape breeding	Laise Moreira	279
P175	6	Graft transmissible effects of rootstocks on grapevine shoot phenotype	Allison Miller	280
P176	5	Search for SSRs associated to berry weight in table grapes	Patricio Hinrichsen	281
P177	5	Discovery and validation of SNP and InDel markers associated to berry size	Patricio Hinrichsen	282
P178	2	Postharvest evaluation of cold-hardy table grape breeding lines	Laise Moreira	283
P179	5	Transcriptional analysis of the early response to GA3-treatment in table grape genotypes with different susceptibility to berry drop	Patricio Hinrichsen	284
P180	8	The influence of grapevine rootstocks on scions in response to water stress	Oswaldo Failla	285
P181	3	A genome editing approach to study the drought stress tolerance in <i>Vitis</i> spp	Oswaldo Failla	286
P182	6	Screening and modelling the diversity of root system architecture in <i>Vitis</i> genotypes : new opportunity for rootstock selection ?	Jean-Pascal Tandonnet	287
P183	7	Multi-omics for secondary metabolite accumulation in grape berry skin and culture cells	Katsuhiro Shiratake	288
P184	8	Physiological and biochemical responses of some autochthonous grapevines in Turkey	Mehmet Koç	289
P185	7	Toward deciphering the grape berry extracellular matrix proteome	Olfar Zarrouk	290
P186	3	Italian Variety Club, a research and innovation network for the genetic improvement of table grapes	Costantino Pirolo	291
P187	2	A new late-maturing table grape cultivar 'Shenzhou Red'	Liangliang He	292
P188	2	New table grape varieties IMIDA-ITUM of Spain: protocol for <i>in vitro</i> introduction of <i>Vitis vinifera</i> var. Itumfifteen & Itumsixteen	Manuel Ternel	293